

# PRICE LIST 2017 - EUR

## WATER RADIATORS - GP ( SIDE-FED RADIATORS )

### "Convector GP"



Type radiator GP	Dimensions [cm]		Normal thermal power acc.to PN-EN 442 75/65/20°C	Water capacity	Radiator weight	The field of the surface of the exchange of warmth	Price netto
	height H	length L	W	dm <sup>3</sup>	kg	m <sup>2</sup>	EUR
GP 2/4	20	40	162	0,12	2,2	1,0	60,50 €
GP 2/5.5	20	55	253	0,17	2,7	1,6	68,30 €
GP 2/7	20	70	353	0,21	3,3	2,1	74,80 €
GP 2/8.5	20	85	463	0,26	3,8	2,7	85,30 €
GP 2/10	20	100	580	0,30	4,3	3,2	95,30 €
GP 2/11.5	20	115	704	0,35	4,8	3,8	104,30 €
GP 2/13	20	130	835	0,39	5,3	4,4	116,00 €
GP 2/14.5	20	145	972	0,44	5,9	4,9	126,30 €
GP 2/16	20	160	1114	0,48	6,4	5,5	138,00 €
GP 2/17.5	20	175	1262	0,53	6,9	6,0	146,50 €
GP 2/19	20	190	1415	0,57	7,4	6,6	158,30 €
* GP 2/20,5	20	205	1572	0,62	7,9	7,2	172,50 €
* GP 2/22	20	220	1735	0,67	8,4	7,7	184,00 €
* GP 2/23,5	20	235	1901	0,72	8,9	8,3	193,80 €
* GP 2/25	20	250	2072	0,77	9,4	8,8	204,50 €
GP 4/4	40	40	452	0,25	3,8	2,0	74,80 €
GP 4/5.5	40	55	641	0,34	4,8	3,1	88,50 €
GP 4/7	40	70	834	0,43	5,8	4,2	99,80 €
GP 4/8.5	40	85	1032	0,52	6,8	5,4	115,50 €
GP 4/10	40	100	1232	0,61	7,8	6,5	129,30 €
GP 4/11.5	40	115	1436	0,70	8,8	7,6	141,00 €
GP 4/13	40	130	1641	0,79	9,7	8,7	160,30 €
GP 4/14.5	40	145	1850	0,88	10,7	9,8	174,80 €
GP 4/16	40	160	2060	0,97	11,7	11,0	192,50 €
GP 4/17.5	40	175	2272	1,06	12,7	12,1	214,80 €
GP 4/19	40	190	2486	1,15	13,7	13,2	229,30 €
* GP 4/20,5	40	205	2701	1,24	14,7	14,3	249,50 €
* GP 4/22	40	220	2918	1,33	15,7	15,4	262,00 €
* GP 4/23,5	40	235	3136	1,42	16,6	16,6	277,30 €
* GP 4/25	40	250	3355	1,51	17,6	17,7	293,50 €
* GP 4/26,5	40	265	3576	1,60	18,6	18,8	312,80 €
* GP 4/28	40	280	3798	1,69	19,6	19,9	327,80 €
* GP 4/29,5	40	295	4021	1,78	20,6	21,0	343,50 €

**WATER RADIATORS - GP ( SIDE-FED RADIATORS )**

**"Convector GP"**

Type radiator <b>GP</b>	Dimensions [cm]		Normal thermal power acc.to PN-EN 442 75/65/20°C	Water capacity	Radiator weight	The field of the surface of the exchange of warmth	Price netto
	height H	length L					
GP 6/4	60	40	627	0,37	5,3	3,0	92,80 €
GP 6/5.5	60	55	888	0,51	6,8	4,7	113,50 €
GP 6/7	60	70	1156	0,64	8,3	6,4	129,30 €
GP 6/8.5	60	85	1430	0,78	9,8	8,0	149,80 €
GP 6/10	60	100	1708	0,91	11,3	9,7	168,30 €
GP 6/11.5	60	115	1990	1,05	12,8	11,4	189,00 €
GP 6/13	60	130	2275	1,18	14,2	13,1	208,50 €
GP 6/14.5	60	145	2564	1,31	15,7	14,8	228,80 €
GP 6/16	60	160	2855	1,45	17,2	16,4	254,00 €
GP 6/17.5	60	175	3149	1,58	18,7	18,1	282,50 €
GP 6/19	60	190	3445	1,72	20,2	19,8	306,50 €
* GP 6/20,5	60	205	3744	1,85	21,7	21,5	324,80 €
* GP 6/22	60	220	4044	1,99	23,2	23,2	349,80 €
* GP 6/23,5	60	235	4347	2,12	24,7	24,8	368,80 €
* GP 6/25	60	250	4651	2,26	26,2	26,5	387,80 €
* GP 6/26,5	60	265	4957	2,39	27,7	28,2	410,50 €
* GP 6/28	60	280	5265	2,53	29,2	29,9	431,00 €
* GP 6/29,5	60	295	5574	2,67	30,7	31,6	449,80 €
GP 8/4	80	40	794	0,50	6,9	4,0	115,80 €
GP 8/5.5	80	55	1125	0,68	8,9	6,2	140,80 €
GP 8/7	80	70	1464	0,86	10,8	8,5	164,00 €
GP 8/8.5	80	85	1811	1,04	12,8	10,7	189,30 €
GP 8/10	80	100	2163	1,21	14,8	13,0	214,00 €
GP 8/11.5	80	115	2520	1,39	16,8	15,2	244,30 €
GP 8/13	80	130	2881	1,57	18,7	17,4	271,50 €
GP 8/14.5	80	145	3247	1,75	20,7	19,7	298,80 €
GP 8/16	80	160	3615	1,93	22,7	21,9	328,50 €
GP 8/17.5	80	175	3988	2,11	24,6	24,2	356,00 €
GP 8/19	80	190	4363	2,29	26,6	26,4	386,80 €
* GP 8/20,5	80	205	4741	2,37	28,6	28,6	416,50 €
* GP 8/22	80	220	5121	2,45	30,6	30,9	439,50 €
* GP 8/23,5	80	235	5504	2,63	32,6	33,1	462,50 €
* GP 8/25	80	250	5889	2,81	34,5	35,4	488,50 €
* GP 8/26,5	80	265	6277	2,99	36,5	37,6	517,30 €
* GP 8/28	80	280	6666	3,17	38,5	39,8	546,00 €
* GP 8/29,5	80	295	7057	3,35	40,5	42,1	574,80 €

\* Radiators produced to order: delivery time - max. 14 days  
Width all radiators - 11 cm.

**EXTREME Sp. z o.o. - CONVECTOR**  
**31-763 Kraków, ul. Kantorowicka 400**  
**POLAND**  
 tel./fax +48 12 645 10 08, +48 12 645 10 06  
[www.convector.pl](http://www.convector.pl)  
 e-mail: handel@convector.pl



## WATER RADIATORS - GC ( BOTTOM-FED RADIATORS )

### "Convector GC"



Type radiator GC	Dimensions [cm]		Normal thermal power acc.to PN-EN 442 75/65/20°C	Water capacity	Radiator weight	The field of the surface of the exchange of warmth	Price netto
	height H	length L	W	dm <sup>3</sup>	kg	m <sup>2</sup>	EUR
GC 2/4	20	40	162	0,13	2,6	1,0	81,00 €
GC 2/5.5	20	55	253	0,18	3,2	1,6	89,00 €
GC 2/7	20	70	353	0,22	3,7	2,1	95,50 €
GC 2/8.5	20	85	463	0,27	4,2	2,7	106,00 €
GC 2/10	20	100	580	0,31	4,7	3,2	115,50 €
GC 2/11.5	20	115	704	0,36	5,2	3,8	123,80 €
GC 2/13	20	130	835	0,40	5,8	4,4	136,80 €
GC 2/14.5	20	145	972	0,45	6,3	4,9	147,00 €
GC 2/16	20	160	1114	0,49	6,8	5,5	159,30 €
GC 2/17.5	20	175	1262	0,54	7,3	6,0	167,80 €
GC 2/19	20	190	1415	0,58	7,8	6,6	180,00 €
* GC 2/20,5	20	205	1572	0,63	8,3	7,2	194,80 €
* GC 2/22	20	220	1735	0,68	8,8	7,7	206,80 €
* GC 2/23,5	20	235	1901	0,73	9,3	8,3	217,00 €
* GC 2/25	20	250	2072	0,78	9,8	8,8	228,00 €
GC 4/4	40	40	452	0,29	4,3	2,0	97,00 €
GC 4/5.5	40	55	641	0,38	5,3	3,1	110,30 €
GC 4/7	40	70	834	0,47	6,3	4,2	120,80 €
GC 4/8.5	40	85	1032	0,56	7,3	5,4	136,00 €
GC 4/10	40	100	1232	0,65	8,3	6,5	149,80 €
GC 4/11.5	40	115	1436	0,74	9,3	7,6	161,50 €
GC 4/13	40	130	1641	0,83	10,2	8,7	181,30 €
GC 4/14.5	40	145	1850	0,92	11,2	9,8	197,50 €
GC 4/16	40	160	2060	1,01	12,2	11,0	213,50 €
GC 4/17.5	40	175	2272	1,10	13,2	12,1	235,80 €
GC 4/19	40	190	2486	1,19	14,2	13,2	249,80 €
* GC 4/20,5	40	205	2701	1,28	15,3	14,3	272,30 €
* GC 4/22	40	220	2918	1,37	16,3	15,4	284,50 €
* GC 4/23,5	40	235	3136	1,46	17,2	16,6	299,80 €
* GC 4/25	40	250	3355	1,55	18,2	17,7	316,00 €
* GC 4/26,5	40	265	3576	1,64	19,2	18,8	336,50 €
* GC 4/28	40	280	3798	1,73	20,2	19,9	351,50 €
* GC 4/29,5	40	295	4021	1,82	21,2	21,0	368,00 €

**WATER RADIATORS - GC ( BOTTOM-FED RADIATORS )**  
**"Convector GC"**

Type radiator <b>GC</b>	Dimensions [cm]		Normal thermal power acc.to PN-EN 442 75/65/20°C	Water capacity	Radiator weight	The field of the surface of the exchange of warmth	Price netto
	height H	length L	W	dm <sup>3</sup>	kg	m <sup>2</sup>	EUR
GC 6/4	60	40	627	0,44	6,0	3,0	114,80 €
GC 6/5.5	60	55	888	0,58	7,4	4,7	134,00 €
GC 6/7	60	70	1156	0,71	8,9	6,4	149,50 €
GC 6/8.5	60	85	1430	0,85	10,4	8,0	171,80 €
GC 6/10	60	100	1708	0,98	11,9	9,7	188,80 €
GC 6/11.5	60	115	1990	1,12	13,4	11,4	209,50 €
GC 6/13	60	130	2275	1,25	14,8	13,1	229,00 €
GC 6/14.5	60	145	2564	1,39	16,3	14,8	249,80 €
GC 6/16	60	160	2855	1,52	17,8	16,4	274,80 €
GC 6/17.5	60	175	3149	1,65	19,3	18,1	303,80 €
GC 6/19	60	190	3445	1,79	20,8	19,8	327,80 €
* GC 6/20,5	60	205	3744	1,93	22,2	21,5	349,50 €
* GC 6/22	60	220	4044	2,07	23,7	23,2	372,00 €
* GC 6/23,5	60	235	4347	2,21	25,1	24,8	387,00 €
* GC 6/25	60	250	4651	2,34	26,5	26,5	409,00 €
* GC 6/26,5	60	265	4957	2,48	28,0	28,2	431,00 €
* GC 6/28	60	280	5265	2,61	29,4	29,9	451,00 €
* GC 6/29,5	60	295	5574	2,75	30,9	31,6	473,50 €
GC 8/4	80	40	794	0,60	7,6	4,0	138,30 €
GC 8/5.5	80	55	1125	0,78	9,5	6,2	161,80 €
GC 8/7	80	70	1464	0,96	11,5	8,5	184,80 €
GC 8/8.5	80	85	1811	1,14	13,5	10,7	210,50 €
GC 8/10	80	100	2163	1,32	15,4	13,0	235,30 €
GC 8/11.5	80	115	2520	1,49	17,4	15,2	265,00 €
GC 8/13	80	130	2881	1,67	19,4	17,4	293,50 €
GC 8/14.5	80	145	3247	1,85	21,3	19,7	320,00 €
GC 8/16	80	160	3615	2,03	23,3	21,9	349,50 €
GC 8/17.5	80	175	3988	2,21	25,3	24,2	377,50 €
GC 8/19	80	190	4363	2,39	27,2	26,4	404,50 €
* GC 8/20,5	80	205	4741	2,57	29,2	28,6	437,80 €
* GC 8/22	80	220	5121	2,75	31,2	30,9	457,50 €
* GC 8/23,5	80	235	5504	2,93	33,2	33,1	479,80 €
* GC 8/25	80	250	5889	3,11	35,2	35,4	508,00 €
* GC 8/26,5	80	265	6277	3,29	37,2	37,6	537,80 €
* GC 8/28	80	280	6666	3,47	39,2	39,8	564,00 €
* GC 8/29,5	80	295	7057	3,65	41,2	42,1	594,80 €

\* Radiators produced to order: delivery time - max. 14 days  
Dimension: Width all radiators - 11 cm.

**EXTREME Sp. z o.o. - CONVECTOR**  
**31-763 Kraków. ul. Kantorowicka 400**  
**POLAND**  
tel./fax +48 12 645 10 08, +48 12 645 10 06  
[www.convector.pl](http://www.convector.pl)  
e-mail: handel@convector.pl

